Rhodora

JOURNAL OF THE NEW ENGLAND BOTANICAL CLUB

NORTON H. NICKERSON, Editor-in-Chief JOAN Y. NICKERSON, Managing Editor

Associate Editors

DAVID BARRINGTON
A. LINN BOGLE
DAVID E. BOUFFORD
WILLIAM D. COUNTRYMAN
GARRETT E. CROW

RICHARD A. FRALICK GERALD J. GASTONY C. BARRE HELLQUIST MICHAEL W. LEFOR ROBERT T. WILCE

VOLUME 89

1987

The New England Botanical Club, Inc.

Harvard University Herbaria, 22 Divinity Ave., Cambridge, Mass. 02138



INDEX TO VOLUME 89

New scientific names are in bold face.

Additions to the flora of Connecticut. 217-219

Additions to the flora of Washington County, Maine. 221-225

Allium vineale L. (Liliaceae) for Vermont. The first record of, 93-94

Ankyra judayi and A. lanceolata (Chlorococcales). Observations on Lake Erie populations of, 21-26

Announcements:

International Conference on Lowland Heaths 245, 345

Jesse M. Greenman Award Notice 110

Joint Field Meeting 112, 244

NEBC Award Notice 1987, 109; 1988, 449

New England Botany Graduate Students Meeting 111, 450

Wherry, Edgar T. Memorabilia, 450 Arkansas. On the occurrence of Platanthera leucophaea in Louisiana and, 347-349

Arnica (Compositae: Senecioneae). Cytotaxonomic studies in the genus, 391-400

Aster glomeratus. Aster section Biotia (Asteraceae) in New England and the status of, 299-318

Aster section Biotia (Asteraceae) in New England and the status of Aster glomeratus, 299-318

Asters of southern Ontario. Cytogeographic studies on North American asters. III., 41-45

Ball, Peter W. see Crins, William J. Beloglottis laxispica Catling, sp. nov. 13, fig. 14

Book Reviews:

Ecology of Coastal Vegetation 107 Field Guide to Coastal Wetland Plants of Northeastern United States. A, 445-446 Guide to the Vascular Plants of the Florida Panhandle 443-444 Manual de Herbario 241-243

Bowers, Frank D. see Semple, John C. Bryson, Charles T., Robert Kral and James R. Manhart. A new species of Carex (Cyperaceae: section Oligocarpae) from the southeastern United States. 357-363

Calamagrostis pickeringii in Maine. 333-336

Calopogon tuberosus var. latifolius with comments on the application of varietal rank. The status of, 401-413

Cape Breton Island. Compositionalstructural relations in old-growth forests in, 279-297

Carex (Cyperaceae: section Oligocarpae) from the southeastern United States. A new species of, 357-363

Carex hostiana (Cyperaceae). Variation in, 247-259

Carex impressinervia Bryson, Kral and Manhart, sp. nov. 357; figs. 359, 361 Carex praegracilis (Cyperaceae) in eastern North Ameica: a remarkable case of rapid invasion. 205-216

Carya cordiformis in New England. Range extension for, 441

Catling, P.M. A new species of Beloglottis (Orchidaceae) from Oaxaca. 13-15

Catling, P. M. see Reznicek, A. A.
Catling, Paul M. and Zoe Lucas. The
status of Calopogon tuberosus var. latifolius with comments on the application of varietal rank, 401-413

Chmielewski, Jerry G. Cytogeographic studies on North American asters. III. Asters of southern Ontario, 41-45.

Chromosome number determinations in Fam. Compositae, tribe Astereae II. Additional counts. 319-325

- Chromosome numbers from the flora of the Juan Fernandez Islands. II. 351-356
- Cirsium: C. flodmanii × C. undulatum. Natural hybridization in the genus, 369-373
- Community classification of the vascular vegetation of a New Hampshire peatland, 415-440. Community types 421; Vascular flora 433
- Compositae, tribe Astereae. II. Additional counts. Chromosome number determinations in Fam., 319-325
- Compositional-structural relations in oldgrowth forests, Cape Breton Island. 279-297
- Connecticut. Additions to the flora of, 217-219
- Cormier, Charles R. Range extension for Carya cordiformis in New England. 441
- Crawford, Daniel J. see Spooner, David
- Crins, William J. and Peter W. Ball. Variation in Carex hostiana (Cyperaceae). 247-259
- Cytogeographic studies on North American asters. III. Asters of southern Ontario. 41-45
- Cytogeography of Pityopsis Nutt., the grass-leaved goldenasters (Compositae: Astereae). 381-389
- Cytotaxonomic studies in the genus Arnica (Compositae: Senecioneae). 391-400
- Cytotaxonomic studies of Piptocarpha subgenus Hypericoides (Compositae: Vernonieae). 35-40
- Dabydeen, Simon. Natural hybridization in the genus Cirsium: C. flodmanii × C. undulatum. 369-373
- Dahlia congestifolia, section Entemophyllon (Asteraceae: Heliantheae, Coreopsidinae), new from Hidalgo, Mexico. 197-203
- Dahlia congestifolia Sorensen, sp. nov., 198; fig. 200
- Delphinium (Ranunculaceae) in continental Mexico. Synopsis of, 47-74

- Dunlop, Debra A. Community classification of the vascular vegetation of a New Hampshire peatland. 415-440
- Eckel, P. M. Mosses new and rare for New York state. 375-379
- Ellmore, George S. and William E. Phair. Status of Elm preservation in New England. 27-33
- Elm preservation in New England. Status of, 27-33
- Evolution. Still another unpublished letter from Spruce on, 101-106
- Fairbrothers, David E. see Wallace, Robert S.
- First record of Allium vineale L. (Liliaceae) for Vermont. The, 93-94
- Freeman, John D. and Thomas E. Heineke. Trillium recurvatum Beck forma esepalum f. nov., a new sepalless form of the prairie wakerobin. 17-20
- Freshwater diatoms (Bacillariophyceae) from the northern glacial lake district of Wisconsin. I. Attheya, Cyclotella, Melosira, Rhizosolenia and Stephanodiscus (Order Centrales). 261-278. Key to the genera 263; Attheya 273; Cyclotella 267; Melosira 264; Rhizosolenia 273; Stephanodiscus 271.
- Goldenasters. Cytogeography of Pityopsis Nutt., the grass-leaved, 381-389 Greene, Craig. Calamagrostis pickeringii in Maine. 333-336
- Greenidge, K. N. H. Compositionalstructural relations in old-growth forests, Cape Breton Island. 279-297
- Heineke, Thomas E. see Freeman, John
- Historical Notes:
 - Early years of Charles Schweinfurth, Orchidologist, 95-99
 - Maria L. Owen, nineteenth-century Nantucket botanist. 227-239
 - Still another unpublished letter from Spruce on evolution. 101-106
- Hudson, W. Donald, Jr. The reproductive biology of Saxifraga stellaris var. comosa on Mt. Katahdin, Maine. 1-12.

In Memoriam:

Bean, Ralph 447-448

Eaton, Richard Jefferson 337-343

Foster, Robert C. 108

Index to Volume 89. 453

Jones, Samuel B., Jr. see Smith, Gerald

Juan Fernandez Islands. Chromosome numbers from the flora of the, II. 351-356

Kral, Robert see Bryson, Charles T. Kuster, Ivan J. see Lewis, Alan J.

Lake Erie populations of Ankyra judayi and A. lanceolata (Chlorococcales). Observations on, 21-26

Lamboy, Warren F. Aster section Biotia (Asteraceae) in New England and the status of Aster glomeratus. 299-318

Lewis, Alan J. and Ivan J. Kuster. Additions to the flora of Washington County, Maine. 221-225

Lipsey, Louis L., Jr. A new station for Stelexomonas dichotoma Lackey (Chrysophyta, Monosigales) in North America. 365-367

Lipsey, Louis L., Jr. Freshwater diatoms (Bacillariophyceae) from the northern glacial lake district of Wisconsin. I. Attheya, Cyclotella, Melosira, Rhizosolenia and Stephanodiscus (Order Centrales). 261-278

Lipsey, Louis L., Jr. Observations on Lake Erie populations of Ankyra judayi and A. lanceolata (Chlorococcales). 21-26

Louisiana and Arkansas. On the occurrence of Platanthera leucophaea in, 347-349

Lucas, Zoe see Catling, Paul M.

Maine. Additions to the flora of Washington County, 221-225
 Maine. Calamagrostis pickeringii in,

333-336
Maine The reproductive hiology of

Maine. The reproductive biology of Saxifraga stellaris var. comosa on Mt. Katahdin, 1-12

Manhart, James R. see Bryson, Charles T. Massachusetts. Notes on the rare flora of, 113-196

Mexico. Dahlia congestifolia, section Entemophyllon (Asteraceae: Heliantheae, Coreopsidinae), new from Hidalgo, 197-203

Mexico. Synopsis of Delphinium (Ranunculaceae) in continental, 47-74

Moore, Michael E. A study of selected taxa of Vitis (Vitaceae) in the southeastern United States. 75-91

Mosses new and rare for New York state. 375-379

Mt. Katahdin, Maine. The reproductive biology of Saxifraga stellaris var. comosa on, 1-12

Nantucket botanist. Maria L. Owen, nineteenth-century, 227-239

Natural hybridization in the genus Cirsium: C. flodmanii × C. undulatum. 369-373

New England. Range extension for Carya cordiformis in, 441

New England. Status of Elm preservation in, 27-33

New England and the status of Aster glomeratus. Aster section Biotia (Asteraceae) in, 299-318

New England distribution of Opuntia humifusa (Raf.) Raf. 327-332

New England Notes:

Additions to the flora of Connecticut. 217-219

Additions to the flora of Washington County, Maine. 221-225

First record of Allium vineale L. (Liliaceae) for Vermont. The, 93-94

Range extension for Carya cordiformis in New England, 441

New Hampshire peatland. Community classification of the vascular vegetation of a, 415-440

New species of Beloglottis (Orchidaceae) from Oaxaca. A, 13, 15

New species of Carex (Cyperaceae: section Oligocarpae) from the southeastern United States. A, 357-363

New station of Stelexomonas dichotoma Lackey (Chrysophyta, Monosigales) in North America. 365-367

- New York state. Mosses new and rare for, 375-379
- North America. A new station for Stelexomonas dichotoma Lackey (Chrysophyta, Monosigales) in, 365-367
- North America, Carex praegracilis (Cyperaceae) in eastern: a remarkable case of rapid invasion. 205-216
- North American asters. III. Asters of southern Ontario. Cytogeographic studies on. 41-45
- Notes on the rare flora of Massachusetts. 113-196
- Oaxaca. A new species of Beloglottis (Orchidaceae) from, 13-15
- Observations on Lake Erie populations of Ankyra judayi and A. lanceolata (Chlorococcales). 21-26
- Occurrence of Platanthera leucophaea in Louisiana and Arkansas. On the, 347-349
- Old-growth forests, Cape Breton Island. Compositional-structural relations in, 279-297
- Ontario. Cytogeographic studies on North American asters. III. Asters of southern, 41-45
- Opuntia humifusa (Raf.) Raf. The New England distribution of, 327-332
- Peatland. Community classification of the vascular vegetation of a New Hampshire, 415-440
- Phair, William E. see Ellmore, George S. Piptocarpha subgenus Hypericoides (Compositae: Vernonieae), Cytotaxonomic studies of, 35-40
- Pityopsis Nutt., the grass-leaved goldenasters (Compositae: Astereae). Cytogeography of, 381-389
- Platanthera leucophaea in Louisiana and Arkansas. On the occurrence of, 347-349
- Prairie wakerobin. Trillium recurvatum Beck forma esepalum f. nov., a new sepalless form of the, 17-20
- Range extension for Carya cordiformis in New England. 441

- Rare flora of Massachusetts. Notes on the. 113-196
- Reproductive biology of Saxifraga stellaris var. comosa on Mt. Katahdin, Maine. 1-12
- Reviewers, List of, 451
- Reznicek, A. A. and P. M. Catling. Carex praegracilis (Cyperaceae) in eastern North America: a remarkable case of rapid invasion. 205-216
- Saxifraga stellaris var. comosa on Mt. Katahdin, Maine. The reproductive biology of, 1-12
- Schultes, Richard E. Still another unpublished letter from Spruce on evolution. 101-106
- Schweinfurth, Charles, Orchidologist. Early years of, 95-99
- Semple, John C. and Jerry G. Chmielewski. Chromosome number determinations in Fam. Compositae, tribe Astereae II. Additional counts. 319-325
- Semple, John C. and Frank D. Bowers. Cytogeography of Pityopsis Nutt., the grass-leaved goldenasters (Compositae: Astereae). 381-389
- Sheviak, Charles J. On the occurrence of Platanthera leucophaea in Louisiana and Arkansas. 347-349
- Silva O., Mario see Spooner, David M. Smith, Beatrice S. Maria L. Owen, nineteenth-century Nantucket botanist. 227-239
- Smith, Gerald L. and Samuel B. Jones, Jr. Cytotaxonomic studies of Piptocarpha subgenus Hypericoides (Compositae: Vernonieae). 35-40
- Sørensen, Paul D. Dahlia congestifolia, section Entemophyllon (Asteraceae: Heliantheae, Coreopsidinae), new from Hidalgo, Mexico. 197-203
- Sorrie, Bruce A. Notes on the rare flora of Massachusetts. 113-196
- Spooner, David M., Tod F. Stuessy, Daniel Crawford and Mario Silva O. Chromosome numbers from the flora of the Juan Fernandez Islands. II. 351-356

- Spruce on evolution. Still another unpublished letter from, 101-106
- St. John, Harold. Early years of Charles Schweinfurth, Orchidologist. 95-99 Status of Calopogon tuberosus var. lati-
- folius with comments on the application of varietal rank. The, 401-413
- Status of Elm preservation in New England. 27-33
- Stelexomonas dichotoma Lackey (Chrysophyta, Monosigales) in North America. A new station for. 365-367
- Study of selected taxa of Vitis (Vitaceae) in the southeastern United States. A, 75-91
- Stuessy, Tod F. see Spooner, David M. Synopsis of Delphinium (Ranunculaceae) in continental Mexico. 47-74. Artificial key to taxa 49
- Tucker, Gordon C. Additions to the flora of Connecticut. 217-219
- Trillium recurvatum Beck forma esepalum f. nov. 17; fig. 19
- Trillium recurvatum Beck forma esepalum f. nov., a new sepalless form of the prairie wakerobin. 17-20
- United States. A new species of Carex (Cyperaceae: section Oligocarpae) from the southeastern, 357-363
- United States. A study of selected taxa of Vitis (Vitaceae) in the southeastern, 75-91

- Variation in Carex hostiana (Cyperaceae). 247-259
- Varietal rank. The status of Calopogon tuberosus var. latifolius with comments on the application of, 401-413
- Vascular vegetation of a New Hampshire peatland. Community classification of the. 415-440
- Vitis (Vitaceae) in the southeastern United States. A study of, 75-91
- Wallace, Robert S. and David E. Fairbrothers. The New England distribution of Opuntia humifusa (Raf.) Raf. 327-332
- Warnock, Michael J. Synopsis of Delphinium (Ranunculaceae) in continental Mexico. 47-74
- Wisconsin. Freshwater diatoms (Bacillariophyceae) from the northern glacial lake district of, I. Attheya, Cyclotella, Melosira, Rhizosolenia, and Stephanodiscus (Order Centrales). 261-278
- Wolf, Steven J. Cytotaxonomic studies in the genus Arnica (Compositae: Senecioneae). 391-400
- Zika, Peter F. The first record of Allium vineale L. (Liliaceae) for Vermont. 93-94